

MIG-MAG/FLUX/BRAZING welding machine with removable wire feeder, fit for use in the industrial field. Flexibility of use with a wide range of materials such as steel, stainless steel, high strength steels and aluminium. Characteristics: very strong * numerous steps for regulation of arc voltage * regulation of spot welding time * two positions for reactance * thermostatic protection. Thanks to the extensions (optional) it is possible to increase the working range between wire feeder and power source up to 10 meters. Complete with MIG-MAG welding accessories.



AUTOMOTIVE

PROFESSIONAL



Norms:	LVD: EN 60974-1	LVD: EN 50445	EMC: EN 60974-10						
CODE	V_{ph} V50/60Hz	A^{MIN}_{MAX} A	A^{MAX}_{40°C} A EN60974-1	A^{60%}_{40°C} A EN60974-1	V_o V	P^{60% MAX} kW	A A	φ cosphi	☀ nr
827003	230 / 400 3 ph	40 300	300 25 %	200	41,5	6 11,5	16 / 10	0,9	12
⊙_{ST} mm	⊙_{SS} mm	⊙_{AL} mm	⊙_{FX} mm	⊙_{BZ} mm	IP	W_L^H cm(L,W,H)	kg kg	BAR CODE	📦 pz/pallet
0,6 1,2	0,6 1,2	0,8 1,2	1 1,2	0,8 1,2	IP22	94,5 56,5 83	96	8004897640 42 6	2