

Microprocessor controlled, TIG (high frequency HF or LIFT striking), PULSE TIG and MMA inverter welding machine in direct and alternating current (AC/DC). Use with a wide range of materials such as steel, stainless steel, aluminium, titanium, copper, nickel, magnesium and their alloys. Characteristics: TIG regulations: post gas, current down slope/time, bi-level, balance * MMA regulations: arc force according to the type of electrode in use * 2/4 times operation * hot start and anti-stick devices * remote control connector * MMA electrodes: rutile, basic, stainless steel and cast iron * thermostatic, overcurrent, overvoltage, undervoltage protections. Complete with TIG welding accessories.



PROFESSIONAL



Norms:	LVD: EN 60974-1	LVD: EN 50445	EMC: EN 60974-10						
CODE	V _{ph} V50/60Hz	A _{MIN} A	A _{MAX} 40°C A EN60974-1	A _{60%} 40°C A EN60974-1	V _o V	A _{60%} A _{MAX} A	P _{60%} MAX W	A A	η n%
852030	230 1 ph	5 160	160 20 %	85	94	18 29	2,5 4,3	16	75
cosφ	Ø _{MIN} E mm	IP	W _H L cm(L,W,H)	kg	BAR CODE				
0,7	1,6 3,2	IP23	43 17 34	13,7	8004897812 13 7				